OFE OF AND THE TOP AND THE TOP

DEC , SE				PTO/SB/21 (08-03) use through 08/30/2003. OMB 0651-0031
The therease work Reduc	tion Act of 1995, no person	S are required to respond to a collection Application Number	and Trademark Office on of information unles	e; U.S. DEPARTMENT OF COMMERCE is it displays a valid OMB control number.
TRANSMI	TTAL	Filing Date	11/28//2003	
FORM	/ 1	First Named Inventor	Chien-An Su	-
(to be used for all correspond	ence after initial filing)	Art Unit		
		Examiner Name		
Total Number of Pages in This	Submission 3	Attorney Docket Number	ACMP0038USA	
	ENC	LOSURES (Check all that	t apply)	
Fee Transmittal Form Fee Attached Amendment/Reply After Final Affidavits/deck Extension of Time Rec Express Abandonment Information Disclosure Certified Copy of Prior Document(s) Response to Missing Incomplete Application Response to Munder 37 CFR	aration(s) quest at Request e Statement rity Parts/ n Alissing Parts	Drawing(s) Licensing-related Papers Petition Petition to Convert to a Provisional Application Power of Attorney, Revocation Change of Correspondence Addre Terminal Disclaimer Request for Refund CD, Number of CD(s)	to ¬ App of A App (Ap (Ap Pro Sta	er Allowance communication Technology Center (TC) peal Communication to Board Appeals and Interferences peal Communication to TC peal Notice, Brief, Reply Brief) oprietary Information atus Letter ner Enclosure(s) (please entify below):
	SIGNATURE C	OF APPLICANT, ATTORN	EY, OR AGENT	
Individual name	Hsu, Reg. No.: 41,			
Signature	Win	untitari		
Date	12/8/	12003		
	CERTIFIC	CATE OF TRANSMISSION	/MAILING	
	spondence is being facsi	mile transmitted to the USPTO or	deposited with the	United States Postal Service with 0, Alexandria, VA 22313-1450 on
Typed or printed name				
Signature				Date

This collection of information is required by 37 CFR 1.5. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

PTO/SB/17 (10-03)

Approved for use through 07/31/2006. OMB 0651-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
p a collection of information unless it displays a valid OMB control number.

TRANSMITTAL		Complet if Known			
THE I RAN	SIVIIIIAL	Application Number	10/707,224		
for FY	2004	Filing Date	11/28/2003		
Effective 10/01/2003. Patent fees are		First Named Inventor	Chien-An Su		
		Examiner Name			
Applicant claims small entity status. See 37 CFR 1.27		Art Unit			
TOTAL AMOUNT OF PAYMENT	(\$) 0.00	Attorney Docket No.	ACMP0038USA		

	Altonley bocket No. Activit cooccos				
METHOD OF PAYMENT (check all that apply)	FEE CALCULATION (continued)				
Check Credit card Money Other None	3. ADDITIONAL FEES	<u> </u>			
Deposit Account:	arge Entity Small Entity				
Denosit	Fee Fee Fee Fee Description Code (\$)	Foo Doid			
Account Number 50-0801	1051 130 2051 65 Surcharge - late filing fee or oa	Fee Paid			
Deposit Account North America International Patent Office	1052 50 2052 25 Surcharge - late provisional fili	⊢			
Name	cover sheet 1053 130 1053 130 Non-English specification				
The Director is authorized to: (check all that apply)	1812 2,520 1812 2,520 For filing a request for <i>ex parte</i>	reexamination			
Charge fee(s) indicated below Credit any overpayments	1804 920* 1804 920* Requesting publication of SIR				
Charge any additional fee(s) or any underpayment of fee(s)	Examiner action	prior to			
Charge fee(s) indicated below, except for the filing fee to the above-identified deposit account.	1805 1,840* 1805 1,840* Requesting publication of SIR Examiner action	after			
	1251 110 2251 55 Extension for reply within first	month			
FEE CALCULATION	1252 420 2252 210 Extension for reply within second				
1. BASIC FILING FEE Large Entity Small Entity	1253 950 2253 475 Extension for reply within third	Lmonth			
Fee Fee Fee Fee Description Fee Paid	1254 1,480 2254 740 Extension for reply within four	[]			
Code (\$) Code (\$)	1255 2,010 2255 1,005 Extension for reply within fifth				
1001 770 2001 385 Utility filing fee					
1002 340 2002 170 Design filing fee	1101100 017 147001				
1003 530 2003 265 Plant filing fee		appeal			
1004 770 2004 385 Reissue filing fee	•				
1005 160 2005 80 Provisional filing fee	1451 1,510 1451 1,510 Petition to institute a public us	-			
SUBTOTAL (1) (\$) 0.00	1452 110 2452 55 Petition to revive - unavoidable				
2. EXTRA CLAIM FEES FOR UTILITY AND REISSUE	1453 1,330 2453 665 Petition to revive - unintention	al			
Fee from Extra Claims below Fee Paid	1501 1,330 2501 665 Utility issue fee (or reissue) 1502 480 2502 240 Design issue fee				
Total Claims -20** = X =					
Independent 2007	1503 640 2503 320 Plant issue fee				
Claims - 3 =	1460 130 1460 130 Petitions to the Commissione	⊢			
Large Entity Small Entity	1807 50 1807 50 Processing fee under 37 CFR	``"			
Fee Fee Fee Fee Description	1806 180 1806 180 Submission of Information Dis				
Code (\$) Code (\$)	8021 40 8021 40 Recording each patent assign property (times number of pro	ment per perties)			
1202 18 2202 9 Claims in excess of 20 1201 86 2201 43 Independent claims in excess of 3	1809 770 2809 385 Filing a submission after final (37 CFR 1.129(a))	rejection			
1203 290 2203 145 Multiple dependent claim, if not paid	1810 770 2810 385 For each additional invention	to be			
1204 86 2204 43 ** Reissue independent claims over original patent	examined (37 CFR 1.129(b)) 1801 770 2801 385 Request for Continued Exam	ination (RCE)			
1205 18 2205 9 ** Reissue claims in excess of 20 and over original patent	1802 900 1802 900 Request for expedited exami of a design application	` '			
SUBTOTAL (2) (\$) 0.00	Other fee (specify)				
**or number previously paid, if greater; For Reissues, see above	*Reduced by Basic Filing Fee Paid SUBTOTAL (3) (\$) 0.00			

SUBMITTED BY (Complete (if applicable)) Name (Print/Type) Registration No. Winston Hsu 41,526 Telephone 886289237350 (Attorney/Agent) Signature

> WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

De Included on this form. Provide credit card information and authorization on P10-2038.

This collection of information is required by 37 CFR 1.17 and 1.27. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

PTO/SB/02B (11-00)
Approved for use through 10/31/2002. OMB 0651-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.


DECLARATION — Supplemental Priority Data Sheet

Additional foreign applications:						
Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Copy Attached? YES NO		
091135335	Taiwan R.O.C	01/28/2003				
	i					
	p					

Burden Hour Statement: This form is estimated to take 21 minutes to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.



ولا ولا ولا ولا



INTELLECTUAL PROPERTY OFFICE MINISTRY OF ECONOMIC AFFAIRS REPUBLIC OF CHINA

兹證明所附文件,係本局存檔中原申請案的副本,正確無訛, 其申請資料如下 :

This is to certify that annexed is a true copy from the records of this office of the application as originally filed which is identified hereunder:

申 請 日: 西元 <u>2002</u> 年 <u>12</u> 月 <u>05</u> 日 Application Date

申 請 案 號: 091135335 Application No.

申 請 大 : 明基電通股份有限公司 Applicant(s)

5

Director General

發文日期: 西元 2003 年 3 月 25 日

Issue Date

發文字號: 09220291950

Serial No.

ඉව ඉව

		1
申請日期:	IPC分類	
申請案號:		•

(以上各欄	由本局填	發明專利說明書
	中文	防止光碟片表面刮傷之光碟機
發明名稱	英文	CD DRIVER WHICH WILL NOT DAMAGE AN OPTICAL DISK
	姓 名(中文)	1. 蘇建安
-	姓 名 (英文)	1.Su, Jian-An
發明人 (共2人)	國 籍 (中英文)	1. 中華民國 TW
	住居所(中文)	1. 台南縣七股鄉慷榔村三鄰二十八號
	住居所 (英 文)	1. No. 28, Community 3, Kang-Lang Tsun, Chi-Ku Hsiang, Tainan Hsien, Taiwan, R.O.C.
;	名稱或 姓 名 (中文)	1. 明基電通股份有限公司
	名稱或 姓 名 (英文)	
=	國 籍 (中英文)	1. 中華民國 TW
申請人 (共1人)	住居所 (營業所) (中 文)	1. 桃園縣龜山鄉山鶯路157號 (本地址與前向貴局申請者相同)
	住居所 (營業所) (英 文)	1. No. 157, Shan-Ying Road, Kweishan, Tao-Yuan Hsien, Taiwan, R.O.C.
	代表人(中文)	1. 李焜耀
	代表人 (英文)	1. Lee, Kuen-Yao



申請日期:	IPC分類	
申請案號:		

(以上各欄)	由本局填記	發明專利說明書
_	中文	
發明名稱	英文	
	姓 名(中文)	2. 李南慶
-	姓 名 (英文)	2.Lee, Nan-Ching
發明人 (共2人)	國 籍 (中英文)	2. 中華民國 TW
(3,2)	住居所 (中 文)	2. 高雄市楠梓區後昌路五四六巷七弄十五之五號
	住居所	2.No. 15-5, Alley 7, Lane 546, Hou-Chang Rd., Nan-Tzu, Kaohsiung City, Taiwan, R.O.C.
	名稱或 姓 名 (中文)	
	名稱或 姓 名 (英文)	
Ξ,	國 籍 (中英文)	
申請人(共1人)	住居所 (營業所) (中 文)	
	住居所 (營業所) (英 文)	
	代表人 (中文)	
	代表人 (英文)	




四、中文發明摘要 (發明名稱:防止光碟片表面刮傷之光碟機)

- (一)、本案代表圖為:第2圖
 - (二)、本案代表圖之元件代表符號簡單說明:
 - 32 托盤 34 推板
 - 36 支點 38 導柱

陸、英文發明摘要 (發明名稱:CD DRIVER WHICH WILL NOT DAMAGE AN OPTICAL DISK)

A CD driver includes an upper cover, a disk ray, a clamper, a push piece, and a guiding rod. The upper cover includes a track. The disk tray is installed below the upper cover in a slidable manner. The clamper is installed on the upper cover in a moveable manner. The push piece is installed on the disk tray. The guiding rod has a first end fixed on the push piece, and a second





四、中文發明摘要 (發明名稱:防止光碟片表面刮傷之光碟機)

陸、英文發明摘要 (發明名稱:CD DRIVER WHICH WILL NOT DAMAGE AN OPTICAL DISK)

end slidably installed in the track. When the disk tray slides in or slides out of the upper cover, the guiding rod will slide along the track. This will cause the push piece to push the clamper upward so as to prevent the clamper from scraping the disk.



·			
一、本案已向			
國家(地區)申請專利	申請日期	案號	主張專利法第二十四條第一項優先權
		,	
二、□主張專利法第二十.	五條之一第一項傷	先權 :	•
申請案號:			
日期:	,		
三、主張本案係符合專利	法第二十條第一項	〔□第一款但書或	₹□第二款但書規定之期間
日期:			
四、□有關微生物已寄存:	於國外:		
寄存國家:			
寄存機構: 寄存日期:			
寄存號碼:		•	
□有關微生物已寄存	於國內(本局所指)	定之寄存機構):	
寄存機構:			
寄存日期:			



寄存號碼:

□熟習該項技術者易於獲得,不須寄存。

五、發明說明 (1)





本發明提供一種光碟機,尤指一種防止光碟片表面刮傷之光碟機。

先前技術

隨著數位影音的發展及高畫質數位產品的誕生,目前CD光碟片的容量已經不敷使用,取而代之的是儲存容量更高的DVD光碟片。DVD光碟片的兩面都可以記錄資料,因此環機在設計上要求不可以刮傷光碟片的任一表面,但是習知的光碟機若以非水平的方式置放,如垂直或傾斜任一角度,則在光碟機進片及退片時,光碟片便會輕微的碰觸到光碟機的夾持件(clamper),在光碟片表面產生一道細微的刮痕,長久下來會損害光碟片表面,輕則會將光碟片表面刮的亂七八糟,重則將光碟片中原先所記錄的資料給破壞。

美國專利 6,246,654中揭露一種在夾持件上設計一磁鐵來吸住光碟機的上蓋,以防止夾持件刮傷光碟片。請參圖一,圖一為習知使用磁性夾持件的光碟機 10之示意圖。光碟機 10包含一上蓋 12、一夾持件 14、一托盤 16、一轉盤 (turn table)18以及一馬達 20。夾持件 14係以可活動的方式設置於上蓋 12內側,托盤 16係以可活動的方式設置





五、發明說明 (2)

於夾持件 14與轉盤 18之間,馬達 20係 設置於轉盤 18之下,而一光碟片 22係置放於托盤 16之上,當光碟機 10讀取光碟片 22時,轉盤 18會頂住光碟片 22,配合夾持件 14將光碟片 22夾住使光碟片 22離開托盤 16,再以馬達 20帶動轉盤 18轉動,使光碟機的讀取頭能夠讀取光碟片 22中的資料。夾持件 14中另包含一磁鐵 24及一線圈 26,磁鐵 24係設置於夾持件 14中心的周圍處,線圈 26係水平的設置於磁鐵 24的上側表面,用來控制磁鐵 24在垂直方向磁化,使得磁鐵 24的磁力作用於垂直方向。

如圖一所示的結構,當光碟機 10在退片及進片時,轉盤 18會下降,位於夾持件 14中的磁鐵 24會產生垂直方向的磁力作用於夾持件 14及上蓋 12之間,使得夾持件 14向上移動遠離光碟片 22,夾持件 14因為磁力的作用而吸住上蓋 12的下側表面。在此情況下,因為線圈 26水平的設置於磁缆 24的上侧表面,由磁鐵 24向上的磁力會比由磁鐵 24向下磁磁力來得小,又因為磁鐵 24隔著夾持件 14的內壁吸住上蓋 12,使得由磁鐵 24向上作用於上蓋 12的兩人 更微弱,因此夾持件 14是以相對較弱的磁力來吸住上蓋 12的下側表面。

光碟機 10在讀取光碟片 22時,轉盤 18會向上移動與夾持件 14接合將光碟片 22項住,使光碟片 22懸空於托盤 16之上,此時轉盤 18會向夾持件 14中的磁鐵 24靠近,使得磁鐵 24及光碟片 22之間的距離小於磁鐵 24及上蓋 12之間的距





五、發明說明 (3)

離,夾持件14因為作用於磁鐵24及轉盤18之間的磁力而被向下吸引緊緊地將光碟片22夾住。再者,因為由磁鐵24向下的磁力比由磁鐵24向上的磁力大,夾持件14可以被輕易地與上蓋12分離,而且磁鐵24提供磁力使夾持件14具有更大的力量來將光碟片22夾住。換句話說,藉由移動下方的轉盤18向上靠近夾持件14或移動轉盤18向下遠離夾持件14,再配合來自磁鐵24的磁力,便可以操作夾持件14向下吸住轉盤18或向上吸住上蓋12。詳細的說明請參考美國專利6,246,654的說明書,在此就不再贅述。

由上述可知,習知技術是在夾持件14中加入磁鐵24,使得光碟機10在退片及進片時,夾持件14能藉由磁鐵24的磁力來吸住上蓋12,以防止夾持件14刮傷光碟片22,但是由於磁鐵24的磁力大小會隨著溫度的增加而遞減,而且夾持件14中的磁鐵又是以相對較小的磁力來吸住上蓋12,若是磁鐵24的磁力太小使得夾持件14無法確實的吸住上蓋12,則夾持件14仍可能會刮傷光碟片22。其它相關的技術請參考美國專利6,373,813。

發明內容

因此本發明之主要目的係提供一種防止光碟片表面刮傷之光碟機,以解決上述問題。





五、發明說明 (4)

本發明之申請專利範圍提供一種光碟機,其包含一上蓋,其自己有一份,以可清動的方式設置於該上點,以可活動對對於該上蓋之下側,一夾持件,以可活動對對於該上點,以可清數的方式設置,以對人,以可清數的方式設置,就係因之此,第二端係以可清動的方式設置於該消動的方式設置,該對於於於於,以避免該來持片刮傷該托盤上之光碟片。

實施方式

請參考圖二及圖三,圖二為本發明光碟機的托盤之示意圖,圖三為本發明光碟機的托碟機。光碟機的托碟機。 32條以可滑動的方式設置於光碟機的 40之下盤 32上 32億以可讓光碟片的作用,而光碟片被 34上 25億以一支點 36屆 定於托盤 32上 60含一推板 34,其一端 100 高 100 元 10





五、發明說明(5)

中的資料。滑軌 44係為一凹槽,設置於上蓋 40之內側,用來容納並牽引導柱 38的第二端,使導柱 38只能夠沿著滑軌 44移動。滑軌 44的設置由上蓋 40內側的後方向其前方延伸,當滑軌 44經過夾持件 42時,滑軌 44會呈弧形彎曲的方向為上蓋 40相對應於推板 34上支點 36的一側。因為推板 34上支點 36及 導柱 38之間的距離為固定長度,而導柱 38又只能沿著滑軌 44移動,當光碟機在進片及退片時,在發明之光碟機係利用滑軌 44彎曲來牽引導柱 38而帶動推板 34旋轉頂住夾持件 42,以避免夾持件 42將光碟片刮傷。





五、發明說明 (6)





五、發明說明 (7)

軌 44帶動導柱 38移動,除了使用磁鐵作為導柱 38的材料, 再配合鐵製滑軌 44來牽引推板 34之外,也可以使用鐵製導 柱 38配合磁性滑軌 44,或者是利用磁鐵異極相吸的原理, 將導柱 38及滑軌 44皆使用磁性材質來製作。滑軌 44的設置 是由托盤 32的前方向其後方延伸,當滑軌 44經過托盤 32相 對應於上蓋 40夾持件 42的位置時,滑軌 44會呈弧形彎曲, 其彎曲的方向為托盤 32相對應於推板 34上支點 36的一側。 如前所述,因為推板 34上支點 36及導柱 38之間的距離為固 定長度,而導柱 38又只能沿著滑軌 44移動,當光碟機在進 以避免夾持件 42,以避免夾持件 42將光碟片刮傷。





五、發明說明 (8)

由上述可知,本發明的光碟機利用推板 32配合滑軌 44 來防止光碟片的表面在光碟機進片或退片時被光碟機的夾持件 42所刮傷,不管是第一實施例所述之將推板 34設置在托盤 32上,再配合設置在上蓋 40的滑軌 44來牽引導柱 38而帶動推板 34旋轉頂住夾持件 42,或者是第二實施例所述之將推板 34設置於上蓋 40上,再配合設置在托盤 32上的滑軌 44來牽引導柱 38而帶動推板 34旋轉頂住夾持件 42,都可以有效的防止光碟機的夾持件 42在光碟機進片或退片時刮傷 6片的表面。

相較於習知技術,本發明利用推板配合滑軌,在光碟機退片或進片時,使用滑軌來導引推板頂住夾持件,以防





五、發明說明 (9)

止光碟片的表面在光碟機進片或退片時被夾持件所刮傷,對在發明光碟機在防止夾持件刮傷光碟片的動作確實。而習知技術在夾持件中設置磁鐵,使得夾持件能在光碟機退片及進片時吸住上蓋,但是由於磁鐵的磁力大小會隨著溫度的增加而遞減,故習知技術在防止夾持件刮傷光碟片的動作上較不確實。

以上所述僅為本發明之較佳實施例,凡依本發明申請專利範圍所做之均等變化與修飾,皆應屬本發明專利的涵 蓋範圍。



圖式簡單說明

圖式之簡單說明:

圖一為習知使用磁性夾持件的光碟機之示意圖。

圖二為本發明光碟機的托盤之示意圖。

圖三為本發明光碟機的上蓋之示意圖。

圖四至圖七為本發明光碟機退片過程之示意圖。

圖八為為本發明第二種光碟機的上蓋之示意圖。

圖九為本發明第二種光碟機的托盤之示意圖。

圖十至圖十三為本發明第二種光碟機退片過程之示意

哥。

圖式之符號說明:

1 0		光碟	機	12.	4 0	上	蓋
14.	42	夾 持	件	16.	32	托	盤
18		轉 盤		20		馬	達
22		光碟	片	24		磁	鐵
26		線圈		32		托	盤
3 4		推 板		36		支	點
38		導 柱		44		滑	軌
4.6		滑 槽					



- 1. 一種光碟機,其包含:
 - 一上蓋,其上設有一滑軌;
 - 一托盤,以可滑動的方式設於該上蓋之下側;
- 一夾持件(clamper),以可活動的方式設置於該上蓋上;
 - 一 推 板 , 設 置 於 該 托 盤 上;
- 一 導柱 , 其 第 一 端 係 固 定 於 該 推 板 上 , 第 二 端 係 以 可 滑 動 的 方 式 設 置 於 該 滑 軌 內 ;

其中當該托盤滑入或滑出該上蓋時,該導柱會沿著該滑軌滑動而使該推板頂住該夾持片,以避免該夾持片刮傷|該托盤上之光碟片。

- 2. 如申請專利範圍第 1項所述之光碟機,其中該推板的一端被作為一支點固定於該托盤上,使該推板能以該支點為圓心轉動。
- 3. 如申請專利範圍第 2項所述之光碟機,其中該滑軌之一段係呈弧形,該支點係設於該托盤之第一側,當該托盤滑出該上蓋時,該滑軌會引導該導柱朝向該托盤之第一側移動,以使該推板朝向該托盤之第一側轉動來頂住該夾持+。
- 4. 如申請專利範圍第 3項所述之光碟機,其中當該托盤滑出該上蓋且該光碟片已離開該夾持件之正下方的位置



時,該滑軌會導引該導柱朝向相反於該托盤之第一側的方向移動,以使該推板回歸該托盤開始滑出該上蓋時之位置。

- 5. 如申請專利範圍第1項所述之光碟機,其中該滑軌係一凹槽。
- 6. 如申請專利範圍第 5項所述之光碟機,其中該推板上設有一孔洞,而該導柱之第一端係固定於該孔洞內。
- 7. 一種光碟機,其包含:
 - 一托盤,其上設有一導引軌;
 - 一上蓋,設於該托盤之上側;
- 一夾持件(clamper),以可活動的方式設置於該上蓋上;
 - 一推板,設置於該上蓋之內側;
- 一 導柱 , 固定於該推板上 , 該 導柱 會與該 導引 軌相 互吸引;

其中當該托盤滑入或滑出該上蓋時,該導柱沿著該導引軌移動來使該推板頂住該夾持片,以避免該夾持片刮傷 友托盤上之光碟片。

8. 如申請專利範圍第7項所述之光碟機,其中該導引軌係為一鐵製導引軌,該導柱係為磁性導柱。






- 9. 如申請專利範圍第7項所述之光碟機,其中該導引軌係為一磁性導引軌,該導柱係為鐵製導柱。
- 10. 如申請專利範圍第7項所述之光碟機,其中該導引軌係為一磁性導引軌,該導柱係為磁性導柱。
- 11. 如申請專利範圍第7項所述之光碟機,其中該推板的第一端被作為一支點固定於該托盤上,使該推板能以該支點為圓心轉動。
- 12. 如申請專利範圍第 11項所述之光碟機,其中該上蓋之內側另設有一滑槽,該推板之第二端另設有一突柱,其一端係以可滑動的方式固定於該滑槽內,當該托盤滑入或滑出該上蓋時,該突柱會沿著該滑槽滑動。
- 13. 如申請專利範圍第 12項所述之光碟機,其中該滑槽係呈弧形。
- 14. 如申請專利範圍第 11項所述之光碟機,其中該導引軌 こ一段係呈弧形,該支點係設於該上蓋之第一側,當該托 盤滑出該上蓋時,該導引軌會引導該導柱朝向該上蓋之第 一側移動,以使該推板朝向該上蓋之第一側轉動來頂住該 夾持件。







15. 如申請專利範圍第14項所述之光碟機,其中當該托盤滑出該上蓋且該光碟片已離開該夾持件之正下方的位置時,該導引動會導引該導柱朝向相反於該托盤之第一側的方向移動,以使該推板回歸該托盤開始滑出該上蓋時之位置。









圖二




圖三




圖四





圖五





圖六














圖十二

